



PLAN #780




28'-2"

FRONT


 HOLD BACK GYPBD 1'-0" PER  
SIDE IN OPEN AREAS  
STAIRS DESIGNED TO 8 1/4" RISE  
MAX., AND 9" TREAD MIN W/ 1 1/8" NOSING




HOLD BACK GYPBD 1'-0" PER  
SIDE IN OPEN AREAS  
STAIRS DESIGNED TO 8 1/4" RISE  
MAX., AND 9" TREAD MIN W/ 1 1/8" NOSING




▨ HOLD BACK GYPBD 1'-0" PER  
 SIDE IN OPEN AREAS  
 STAIRS DESIGNED TO 8 1/4" RISE  
 MAX., AND 9" TREAD MIN W/ 1 1/8" NOSING




REAR


 HOLD BACK GYPBD 1'-0" PER  
SIDE IN OPEN AREAS  
STAIRS DESIGNED TO 8 1/4" RISE  
MAX., AND 9" TREAD MIN W/ 1 1/8" NOSING



LEFT SIDE



RIGHT SIDE

 HOLD BACK GYPBD 1'-0" PER  
SIDE IN OPEN AREAS  
STAIRS DESIGNED TO 8 1/4" RISE  
MAX., AND 9" TREAD MIN W/ 1 1/8" NOSING